Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	A001A	A	Batch Reject	The submission overlaps an existing accepted submission.	INVALID SEQUENCE: A submission cannot overlap an existing accepted submission.
Content	A002B	A	Batch Reject	A C/R record cannot reverse another C/R record.	INVALID RECORD: A C/R record cannot reverse another C/R record.
Content	A004A	A	Batch Reject	A record of same Record Type and Adjustment Type cannot reference the same parent record within the same submission.	DUPLICATE RECORD: Multiple records of the same type with same parent_record_id cannot exist.
Content	A005A	A	Batch Reject	A record of same Record Type and Adjustment Type cannot reference the same parent record from a previous submission.	DUPLICATE RECORD: Multiple records of the same type with same parent_record_id cannot exist.
Content	D002A	R	Batch Reject	Submitter Organization ID on the detail record must be a valid organization for the Submitting Organization found in the header record.	MISMATCHING DATA. Submitter Organization ID on the detail record is not a valid organization for the Submitting Organization found on the header record.
Content	D002B	R	Batch Reject	The Submitter Organization ID provided in the detail record must be found on the lookup table.	INVALID DATA: Submitter_organization_id is not valid.
Content	D004B	R	Batch Reject	Duplicate Record ID's must not exist within different submissions.	DUPLICATE RECORD: The record_id is not unique for this organization. Different submissions contain the same record_id.
Content	D005A	A	Batch Reject	When the Record Type equals O, the Parent Record ID must be null.	INVALID DATA: Record_type is an original, and the parent_record_id is not null.
Content	D005B	A	Batch Reject	When the Record Type = C data must be provided in the Parent Record field.	MISSING DATA: Record_type is an adjustment, and the parent_record_id is not provided.
Content	D005C	A	Batch Reject	When the Record Type equals C the data in the Parent Record ID must exist as a Record ID for that organization.	MISSING RECORD: Parent_record_id does not exist as a record_id.
Content	D005F	A	Batch Reject	The Parent Record ID cannot equal the Record ID.	INVALID DATA: The parent_record_id cannot equal the record_id.
Content	D006D	A	Batch Reject	When Record Type equals "O" the original ID must equal the Record ID.	INVALID DATA: Record_type is an original, and the original_id does not equal record_id.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D008B	A	Batch Reject	Comparing numeric fields on a reversal to its parent.	MISMATCHING DATA: Numeric data on the reversal adjustment record (CR) is not the inverse of the parent.
Content	D008C	A	Batch Reject	Comparing alpha and date fields on a reversal to its parent.	MISMATCHING DATA: Non-numeric data on the reversal adjustment record (CR) is not the same as the parent.
Content	D008F	R	Batch Reject	Reversal adjustment record must exist before a new adjustment record is created.	INVALID SEQUENCE: New adjustment record (CN) exists when the reversal adjustment record does not exist.
Content	D009A	A	Batch Reject	When the Record Type = C, Adjustment Type must equal R or N.	INVALID DATA: Adjustment_type is not valid.
Content	D009B	A	Batch Reject	When Record Type = O Adjustment Type must be null.	INVALID DATA: Record_type is an original, and the adjustment_type is not null.
Content	D010E	A	Batch Reject	Adjustment Type Detail must be a valid value.	INVALID DATA: Adjustment_type_detail is not valid.
Content	D010F	A	Batch Reject	When Adjustment Type Detail = GL then SPC End Reason and SPC End Date must be populated.	INVALID DATA: Adjustment_type_detail is GL and spc_end_reason or spc_end_date was not populated.
Content	D030D	M	Batch Accept	Recipient ID must exist in the master lookup table.	INFORMATIONAL DATA: Recipient ID is not valid.
Content	D042C	S	Batch Reject	Service Date From must be less than or equal to the month end posting date.	INVALID DATA. Service Date From is not less than or equal to the month end posting date.
Content	D042D	S	Batch Reject	Service Date From cannot be less than the cutover date for this organization.	INVALID DATA: Service_date_from is before cutover date.
Content	D042E	S	Batch Reject	Service Date From cannot be less than the SPC End Date of a different SPC segment than the corresponding Service Date To.	INVALID DATA: Service_date_from and service_date_to span an spc_end_date.
Content	D043C	S	Batch Reject	Service Date To must be greater than or equal to Service Date From.	INVALID DATA. Service Date To is not greater than or equal to Service Date From.
Content	D052A	S	Batch Reject	Quantity must be provided.	MISSING DATA: Quantity is not provided.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D053B	S	Batch Reject	When data is provided, Unit or Basis for Measurement Code must equal MI, HR, DA, WK, YR, Q1, F2, UN, MJ, or DH.	INVALID DATA. Unit or Basis of Measurement is not valid.
Content	D053D	S	Batch Reject	Unit or Basis of Measurement Code must be provided for an encounter transaction.	MISSING DATA: Unit_or_basis_for_measurement_code is not provided.
Content	D059B	R	Batch Reject	Posting Date must be greater than or equal to Header's Begin Posting Date.	INVALID DATA: Posting_date is not greater than or equal to header's begin_posting_date.
Content	D059C	R	Batch Reject	Posting Date must be less than or equal to Header's End Posting Date.	INVALID DATA: Posting_date is not less than or equal to header's end_posting_date.
Content	D071D	M	Batch Reject	When the Recipient Birth Date is provided and the Recipient is found in the Recipient Master file with a DOB, then the Recipient Birth Date must = DOB in Recipient Master File.	MISMATCHING DATA: Recipient_birth_date does not match the date of birth found in the MMIS recipient master file.
Content	D071F	M	Batch Reject	Recipient Birth Date must be less than or equal to the earliest SPC Start Date and the earliest Service Date From.	INVALID DATA: Recipient_birth_date was greater than the earliest SPC_start_date.
Content	D074A	S	Batch Accept	When the Record Type = O or C with an Adjustment Type of N, SPC Code must be provided.	MISSING DATA: SPC is not provided.
Content	D074C	S	Batch Reject	SPC must exist in the SPC lookup table for this line of business.	INVALID DATA: SPC is not valid for this line of business.
Content	D074S	S	Batch Reject	SPC must be valid for the Delivery Year Month.	INVALID DATA: SPC is not valid for this delivery_year_month.
Content	D075C	S	Batch Reject	When the Diagnosis Code Principal is provided then the code must exist in the master lookup table.	INVALID DATA: Diagnosis_code_principal is not valid.
Content	D075J	S	Batch Reject	When the Diagnosis Code Principal is provided it must be in the master lookup table and within date range (based on Delivery Year Month).	INVALID DATA: Diagnosis_code_principal is not valid for this delivery_year_month.
Content	D200B	S	Batch Reject	Blue Ribbon Commission Target Population must be a valid value of H, L or S.	INVALID DATA: Brc_target_population is not a valid value.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D201B	S	Batch Reject	When supplied the Blue Ribbon Commission Target Population Update must be a valid value of H, L or S.	INVALID DATA: Brc_target_population_update is not a valid value.
Content	D202B	M	Batch Reject	Characteristic 1 must be a valid value for the Delivery Year Month.	INVALID DATA: Characteristic1 is not a valid value for this delivery_year_month.
Content	D203B	M	Batch Reject	When supplied Characteristic 2 must be a valid value for the Delivery Year Month.	INVALID DATA: Characteristic2 is not a valid value for this delivery_year_month.
Content	D203C	M	Batch Reject	When supplied Characteristic 2 cannot be a duplicate of Characteristic1.	DUPLICATE DATA: Characteristic2 is a duplicate of characteristic1.
Content	D204B	M	Batch Reject	When supplied Characteristic 3 must be a valid value for the Delivery Year Month.	INVALID DATA: Characteristic 3 is not a valid value for this delivery_year_month.
Content	D204C	M	Batch Reject	When supplied Characteristic 3 cannot be a duplicate of Characteristic1 or 2.	DUPLICATE DATA: Characteristic 3 is a duplicate of characteristic1 or 2.
Content	D204D	M	Batch Reject	Characteristic 3 cannot be populated unless Characteristic 2 is populated.	SEQUENCE ERROR: Characteristic3 is populated and characteristic2 is not.
Content	D205B	S	Batch Reject	When Blue Ribbon Commission Target Population is H, then Children Living With Client must be supplied.	MISSING DATA: Brc_target_population is H and children_living_with_client was not supplied.
Content	D207B	S	Batch Reject	Commitment Status must be a valid value. 1-6.	INVALID DATA: Commitment_status is not a valid value for this delivery_year_month.
Content	D208B	S	Batch Reject	When supplied Commitment Status Review Due Date must be greater than or equal to the current date.	INVALID DATA: Commitment_status_review_ due_date is less than the current date.
Content	D209B	S	Batch Reject	When supplied Commitment Status must be a valid value. 1-6.	INVALID DATA: Commitment_status is not a valid value for this delivery_year_month.
Content	D210B	S	Batch Reject	County Code must be a valid value.	INVALID DATA: County_code is not a valid value.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D211B	M	Batch Reject	County of Residence must be less than 100 and a valid value.	INVALID DATA: County_of_residence is not a valid value.
Content	D212B	M	Batch Reject	When supplied Criminal Justice System 1 must be a valid value. 1-6 or 9.	INVALID DATA: Criminal_justice_system_1 is not a valid value.
Content	D213B	M	Batch Reject	When supplied Criminal Justice System 2 must be a valid value. 2-6	INVALID DATA: Criminal_justice_system_2 is not a valid value.
Content	D213C	M	Batch Reject	When supplied Criminal Justice System 2 cannot be a duplicate of Criminal Justice System 1 and Criminal Justice System 1 cannot be 1 or 9.	DUPLICATE DATA: Criminal_justice_system_2 is a duplicate of criminal_justice_system_1.
Content	D214B	M	Batch Reject	When supplied Criminal Justice System 3 must be a valid value. 2-6	INVALID DATA: Criminal_justice_system_3 is not a valid value.
Content	D214C	M	Batch Reject	When supplied Criminal Justice System 3 cannot be a duplicate of Criminal Justice System 1 or 2.	DUPLICATE DATA: Criminal_justice_system_3 is a duplicate of criminal_justice_system_1 or 2.
Content	D214D	M	Batch Reject	Criminal Justice System 3 cannot be populated unless Criminal Justice System 2 is populated.	SEQUENCE ERROR: Criminal_justice_system_3 is populated and criminal_justice_system_2 is not.
Content	D215B	M	Batch Reject	When supplied Criminal Justice System 4 must be a valid value. 2-6	INVALID DATA: Criminal_justice_system_4 is not a valid value.
Content	D215C	M	Batch Reject	When supplied Criminal Justice System 4 cannot be a duplicate of Criminal Justice System 1, 2 or 3.	DUPLICATE DATA: Criminal_justice_system_4 is a duplicate of criminal_justice_system_1, 2 or 3.
Content	D215D	M	Batch Reject	Criminal Justice System 4 cannot be populated unless Criminal Justice System 2 and 3 are populated.	SEQUENCE ERROR: Criminal_justice_system_4 is populated and criminal_justice_system_2 or 3 are not.
Content	D216B	S	Batch Reject	When supplied Daily Activity 1 must be a valid value. 1-6 or 9.	INVALID DATA: Daily_activity_1 is not a valid value.
Content	D217B	S	Batch Reject	When supplied Daily Activity 2 must be a valid value. 2-6	INVALID DATA: Daily_activity_2 is not a valid value.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D217C	S	Batch Reject	When supplied Daily Activity 2 cannot be a duplicate of Daily Activity 1 and Daily Activity 1 cannot be 1 or 9.	DUPLICATE DATA: Daily_activity_2 is duplicate of daily_activity_1.
Content	D218B	S	Batch Reject	When supplied Daily Activity 3 must be a valid value. 2-6	INVALID DATA: Daily_activity_3 is not a valid value.
Content	D218C	S	Batch Reject	When supplied Daily Activity 3 cannot be a duplicate of Daily Activity 1 or 2.	DUPLICATE DATA: Daily_activity_3 is duplicate of daily_activity_1 or 2.
Content	D218D	S	Batch Reject	Daily Activity 3 cannot be populated unless Daily Activity 2 is populated.	SEQUENCE ERROR: Daily_activity_3 is populated and daily_activity_2 is not.
Content	D219B	S	Batch Reject	When supplied Dental Care Appointment must be a valid value. 1-3 or 9.	INVALID DATA: Dental_care_appointment is not a valid value.
Content	D220B	S	Batch Reject	Diagnostic Impression 1 must be a valid value for the Delivery Year Month.	INVALID DATA: Diagnostic_impression_1 is not a valid value for this delivery_year_month.
Content	D220C	S	Batch Reject	When BRC Target Population is H, the Diagnostic Impression 1 must be an Axis I value.	INVALID DATA: Brc_target_population is H and the diagnostic_impression_1 is not an Axis I value.
Content	D221B	S	Batch Reject	When supplied Diagnostic Impression 2 must be a valid value for the Delivery Year Month.	INVALID DATA: Diagnostic_impression_2 is not a valid value for this delivery_year_month.
Content	D221C	S	Batch Reject	When supplied Diagnostic Impression 2 cannot be a duplicate of Diagnostic Impression 1.	DUPLICATE DATA: Diagnostic_impression_2 is a duplicate of diagnostic_impression_1.
Content	D222B	S	Batch Reject	When supplied Diagnostic Impression 3 must be a valid value for the Delivery Year Month.	INVALID DATA: Diagnostic_impression_3 is not a valid value for this delivery_year_month.
Content	D222C	S	Batch Reject	When supplied Diagnostic Impression 3 cannot be a duplicate of Diagnostic Impression 1 or 2.	DUPLICATE DATA: Diagnostic_impression_3 is a duplicate of diagnostic_impression_1 or 2.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D222D	S	Batch Reject	Diagnostic Impression 3 cannot be populated unless Diagnostic Impression 2 is populated.	SEQUENCE ERROR: Diagnostic_impression_3 is populated and diagnostic_impression_2 is not.
Content	D223B	S	Batch Reject	When supplied Diagnostic Impression 4 must be a valid value for the Delivery Year Month.	INVALID DATA: Diagnostic_impression_4 is not a valid value for this delivery_year_month.
Content	D223C	S	Batch Reject	When supplied Diagnostic Impression 4 cannot be a duplicate of Diagnostic Impression 1, 2 or 3.	DUPLICATE DATA: Diagnostic_impression_4 is a duplicate of diagnostic_impression_1, 2 or 3.
Content	D223D	S	Batch Reject	Diagnostic Impression 4 cannot be populated unless Diagnostic Impression 2 and 3 are populated.	SEQUENCE ERROR: Diagnostic_impression_4 is a populated and diagnostic_impression_2 and 3. are not.
Content	D224B	S	Batch Reject	When supplied Diagnostic Impression 5 must be a valid Axis III value for the Delivery Year Month.	INVALID DATA: Diagnostic_impression_5 is not an Axis III valid value for this delivery_year_month.
Content	D224C	S	Batch Reject	When supplied Diagnostic Impression 5 cannot be a duplicate of Diagnostic Impression 1, 2, 3 or 4.	DUPLICATE DATA: Diagnostic_impression_5 is a duplicate of diagnostic_impression_1, 2, 3 or 4.
Content	D225B	S	Batch Reject	When supplied Employment must be a valid value. 1-9, 99.	INVALID DATA: Employment is not a valid value.
Content	D226B	S	Batch Reject	When supplied Employment Level must be a valid value. 1-3.	INVALID DATA: Employment_level is not a valid value.
Content	D226C	S	Batch Reject	When Employment is 1-5 then Employment Level must be supplied.	MISSING DATA: Employment is 1-5 and employment_level was not supplied.
Content	D226D	S	Batch Reject	When Employment is not 1-5 then Employment Level must not be supplied.	INVALID DATA: Employment is not 1-5 and employment_level was supplied.
Content	D231B	S	Batch Reject	When supplied Financial Support 1 must be valid value. 1-17, 99.	INVALID DATA: Financial_support_1 is not a valid value.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D232B	S	Batch Reject	When supplied Financial Support 2 must be valid value 1-17 and Financial Support 1 is not 99.	INVALID DATA: Financial_support_2 is not a valid value.
Content	D232C	S	Batch Reject	When supplied Financial Support 2 cannot be a duplicate of Financial Support 1.	DUPLICATE DATA: Financial_support_2 is a duplicate value of financial_support_1.
Content	D233B	S	Batch Reject	When supplied Financial Support 3 must be valid value. 1-17	INVALID DATA: Financial_support_3 is not a valid value.
Content	D233C	S	Batch Reject	When supplied Financial Support 3 cannot be a duplicate of Financial Support 1 or 2.	DUPLICATE DATA: Financial_support_3 is a duplicate value of financial_support_1 or 2.
Content	D233D	S	Batch Reject	Financial Support 3 cannot be populated unless Financial Support 2 is populated.	SEQUENCE ERROR: Financial_support_3 is populated and financial_support_2 is not.
Content	D234B	S	Batch Reject	When supplied Financial Support 4 must be valid value. 1-17	INVALID DATA: Financial_support_4 is not a valid value.
Content	D234C	S	Batch Reject	When supplied Financial Support 4 cannot be a duplicate of Financial Support 1, 2 or 3.	DUPLICATE DATA: Financial_support_4 is a duplicate value of financial_support_1, 2 or 3.
Content	D234D	S	Batch Reject	Financial Support 4 cannot be populated unless Financial Support 2 and 3 are populated.	SEQUENCE ERROR: Financial_support_4 is populated and financial_support_2 and 3 are not.
Content	D235B	M	Batch Reject	Gender must be valid value. M or F.	INVALID DATA: Gender is not a valid value.
Content	D237B	S	Batch Reject	When provided Health Care Appointment must be a valid value. 1-3, 9.	INVALID DATA: Health_care_appointment is not a valid value.
Content	D238B	S	Batch Reject	When provided Health Status must be a valid value. 1-9.	INVALID DATA: Health_status is not a valid value.
Content	D239B	M	Batch Reject	Hispanic Latino must be a valid value. Y or N.	INVALID DATA: Hispanic_latino is not a valid value.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D240B	M	Batch Reject	When provided MA Number must be a valid value. Exists in lookup table.	INVALID DATA: Ma_number does not exist in the eligibility table.
Content	D241B	S	Batch Reject	When Blue Ribbon Commission Target Population is H, then Minor Children Count must be supplied.	MISSING DATA: Brc_target_population is H and minor_children_count was not supplied.
Content	D241C	M	Batch Reject	When provided Minor Children Count must be >= Children Living With Client.	INVALID DATA: Minor_children_count is < children_living_with_client.
Content	D242B	S	Batch Reject	Presenting Problem 1 must be a valid value. 01-14.	INVALID DATA: Presenting_problem_1 is not a valid value.
Content	D243B	S	Batch Reject	When provided Presenting Problem 2 must be a valid value. 01-14.	INVALID DATA: Presenting_problem_2 is not a valid value.
Content	D243C	S	Batch Reject	When provided Presenting Problem 2 cannot be a duplicate of Presenting Problem 1.	DUPLICATE DATA: Presenting_problem_2 is a duplicate of presenting_problem_1.
Content	D244B	S	Batch Reject	When provided Presenting Problem 3 must be a valid value. 01-14.	INVALID DATA: Presenting_problem_3 is not a valid value.
Content	D244C	S	Batch Reject	When provided Presenting Problem 3 cannot be a duplicate of Presenting Problem 1 or 2.	DUPLICATE DATA: Presenting_problem_3 is a duplicate of presenting_problem_1 or 2.
Content	D244D	S	Batch Reject	Presenting Problem 3 cannot be populated unless Presenting Problem 2 is populated.	SEQUENCE ERROR: Presenting_problem_3 is populated and presenting_problem_2 is not.
Content	D245B	S	Batch Reject	Provider Number must be a valid value. If first digit is not in (0, 1, or 9), then the number entered must be in the Provider Table. If first digit = 9, it must be in the Worker Table matching on the last 9 digits. If first digit = 0 or 1 (state provider), then the first 7 digits must match a wild card or the entire number must be found in the provider table.	INVALID DATA: Provider_number is not a valid value.
Content	D245C	S	Batch Reject	First two digits of the Provider number cannot equal 21.	INVALID DATA: Provider_number begins with 21.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D246B	S	Batch Reject	When provided Psychosocial Environment Stressor must be a valid value. 0-6.	INVALID DATA: Psychosocial_environment_stressor is not a valid value.
Content	D247B	M	Batch Reject	Race Code 1 must be a valid value.	INVALID DATA: Race_code1 is not a valid value.
Content	D248B	M	Batch Reject	When provided Race Code 2 must be a valid value.	INVALID DATA: Race_code2 is not a valid value.
Content	D248C	M	Batch Reject	When provided Race Code 2 cannot be a duplicate of Race Code 1.	DUPLICATE DATA: Race_code2 is a duplicate of race_code1.
Content	D249B	M	Batch Reject	When provided Race Code 3 must be a valid value.	INVALID DATA: Race_code3 is not a valid value.
Content	D249C	M	Batch Reject	When provided Race Code 3 cannot be a duplicate of Race Code 1 or 2.	DUPLICATE DATA: Race_code3 is a duplicate of race_code1 or 2.
Content	D249D	M	Batch Reject	Race Code 3 cannot be populated unless Race Code 2 is populated.	SEQUENCE ERROR: Race_code3 is populated and race_code2 is not.
Content	D250B	M	Batch Reject	When provided Race Code 4 must be a valid value.	INVALID DATA: Race_code4 is not a valid value.
Content	D250C	M	Batch Reject	When provided Race Code 4 cannot be a duplicate of Race Code 1, 2 or 3.	DUPLICATE DATA: Race_code4 is a duplicate of race_code1, 2 or 3.
Content	D250D	M	Batch Reject	Race Code 4 cannot be populated unless Race Code 2 and 3 are populated.	SEQUENCE ERROR: Race_code4 is populated and race_code2 and 3 are not.
Content	D251B	M	Batch Reject	When provided Race Code 5 must be a valid value.	INVALID DATA: Race_code5 is not a valid value.
Content	D251C	M	Batch Reject	When provided Race Code 5 cannot be a duplicate of Race Code 1, 2, 3 or 4.	DUPLICATE DATA: Race_code5 is a duplicate of race_code1, 2, 3 or 4.
Content	D251D	M	Batch Reject	Race Code 5 cannot be populated unless Race Code 2, 3 and 4 are populated.	SEQUENCE ERROR: Race_code5 is populated and race_code2, 3 and 4 are not.
Content	D253B	S	Batch Reject	When provided Referral Source must be a valid value.	INVALID DATA: Referral_source is not a valid value.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D254B	S	Batch Reject	When provided Residential Arrangement must be a valid value. 1-6.	INVALID DATA: Residential_arrangement is not a valid value.
Content	D255B	M	Batch Accept	When SSN is provided and one exists in the Recipient Client Lookup Xref table and Adjustment Type Detail is not CKC then they must equal.	INVALID DATA: Social_security_number does not match the existing social_security_number.
Content	D256B	S	Batch Reject	When provided Social Support must be a valid value. 01-05.	INVALID DATA: Social_support is not a valid value.
Content	D257B	S	Batch Reject	SPC Delivery Year Month must be within the SPC Start and End Date if the SPC Start Date is provided else it must be the same month year as the Service Date To.	INVALID DATA: Spc_delivery_year_month is not within the SPC Start and End Dates.
Content	D258B	S	Batch Reject	When provided SPC End Date cannot be less than SPC Start Date if provided and it cannot be less than the Service Date To if provided.	INVALID DATA: Spc_end_date is less than the spc_start_date.
Content	D258C	S	Batch Reject	When SPC End Reason is provided SPC End Date is required.	MISSING DATA: Spc_end_reason was provided and spc_end_date was not.
Content	D258D	S	Batch Reject	When provided SPC End Date cannot be greater than Header End Posting Date.	INVALID DATA: Spc_end_date is greater than the end_posting_date.
Content	D258E	S	Batch Reject	If two records, A and B, in the same submission have matching SPC, Target Group, Provider Number, Recipient ID, and Submitter Organization ID values and record A has an SPC End Date, then record B must also have an SPC End Date if its Service Date To is less than record A's SPC End Date.	INVALID DATA: Spc_end_date does not match other records in this submission that have matching SPC key information.
Content	D259B	S	Batch Reject	When provided SPC End Reason must be a valid value. 01-11, 99.	INVALID DATA: Spc_end_reason is not a valid value.
Content	D259C	S	Batch Reject	When SPC End Date is provided the SPC End Reason is required.	MISSING DATA: Spc_end_date was provided and spc_end_reason was not.
Content	D260B	S	Batch Reject	When SPC Review Due Year Month is provided it must be greater than the current year month.	INVALID DATA: Spc_review_due_year_month is not greater than the current year month.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D260C	S	Batch Reject	When SPC End Date is provided SPC Review Due Year Month must not be supplied.	INVALID DATA: Spc_end_date is provided and Spc_review_due_year_month was supplied.
Content	D261B	S	Batch Reject	When provided SPC Start Date cannot be greater than Header End Posting Date.	INVALID DATA: Spc_start_date is greater than the end_posting_date.
Content	D261C	S	Batch Reject	When SPC Start Date is provided; records with matching SPC, Target Group, Provider Number, Recipient ID and Submitter Organization ID values cannot have overlapping SPC Start and End Dates. An overlap occurs if: 1) The SPC Start or End Date falls between those of a closed SPC, or 2) The SPC Start or End Date of a previously-submitted record falls between this record's SPC Start and End Dates, or 3) The SPC End Date is greater than the SPC Start Date of an open SPC and the SPC Start Dates do not match, or 4) The SPC End Date is not provided and an open SPC exists with a different SPC Start Date, or 5) The SPC Start Date is less than or equal to the SPC End Date of a closed SPC and the SPC End Date is not provided.	INVALID DATA: SPC segment overlaps a previously submitted SPC segment for this recipient.
Content	D261E	S	Batch Reject	SPC Start Date cannot be greater than the Service Date From for this organization.	INVALID DATA: Spc_start_date is after the service_date_from.
Content	D262B	M	Batch Reject	State Abbreviation must be a valid value.	INVALID DATA: State_abbreviation is not a valid value.
Content	D263B	S	Batch Reject	When Blue Ribbon Commission Target Population is H or L the Status Report Year Month must be within 6 months prior to the Submission Date and >= the earliest SPC Begin Date.	INVALID DATA: Brc_target_population is H or L and the status_report_year_month is more than 6 months prior to the submission_date or earlier than the earliest SPC Begin Date.
Content	D266B	S	Batch Reject	When provided Suicide Risk must be a valid value. 1-3, 9.	INVALID DATA: Suicide_risk is not a valid value.
Content	D267B	S	Batch Reject	Target Group must be a valid value.	INVALID DATA: Target_group is not a valid value.
Content	D269B	M	Batch Reject	When provided Veteran Status must be a valid value. Y or N.	INVALID DATA: Veteran_status is not a valid value.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	D270B	S	Batch Reject	When provided Vision Care Appointment must be a valid value. 1-3, 9.	INVALID DATA: Vision_care_appointment is not a valid value.
Content	D271B	R	Warning	Worker ID must be a valid value. If first digit is not in (0, 1, or 9), then the number entered must be in the Provider Table. If first digit = 9, it must be in the Worker table matching on the last 9 digits. If first digit = 0 or 1 (State provider), then the first 7 digits must match wild card or the entire number must be found in the Provider Table. Cannot begin with 21.	INVALID DATA: Worker_id is not a HSRS worker id value.
Content	D271C	R	Batch Reject	First two digits of the Worker ID cannot equal 21.	INVALID DATA: Worker_id begins with 21.
Content	D273B	S	Batch Accept	When SPC is a medical service then the NPI must be provided.	MISSING DATA: SPC is a medical service and the npi was not provided.
Content	D273C	R	Batch Reject	When NPI is provided then it must be a valid value.	INVALID DATA: NPI is not a valid value.
Content	D274A	S	Batch Reject	When Blue Ribbon Commission Target Population is H or L then all the consumer status information must be supplied.	MISSING DATA: Brc_target_population is H or L and the following Consumer Status information was not supplied.
Content	D274B	S	Batch Reject	When Blue Ribbon Commission Target Population is S then none of the consumer status information can be supplied.	INVALID DATA: Brc_target_population is S and the following Consumer Status information was supplied.
Content	H000C	H	Batch Reject	Current encounter file month (from Begin Posting Date) must sequentially follow the month of last accepted submission.	INVALID SEQUENCE. Current encounter submission does not sequentially follow the last accepted submission.
Content	H002D	H	Batch Reject	Submission Date must be less than or equal to today's date.	INVALID DATA. Submission Date is not less than or equal to today's date.
Content	H002E	H	Batch Reject	Submission Date must be greater than or equal to End Posting Date.	INVALID DATA. Submission Date is not greater than or equal to End Posting Date.

Edit Type	Edit Number	Error Category	Program Edit Level	Edit Description	Error Message
Content	H003D	H	Batch Reject	Begin Posting Date must be less than End Posting Date.	INVALID DATA. Begin Posting Date is not less than End Posting Date.
Content	H003E	H	Batch Reject	Begin Posting Date must be the first date for that month.	INVALID DATA. Begin Posting Date is not the first date for that month.
Content	H004D	H	Batch Reject	End Posting Date must be greater than Begin Posting Date.	INVALID DATA. End Posting date is not greater than Begin Posting Date.
Content	H004E	H	Batch Reject	End Posting Date must be the last date for that month.	INVALID DATA. End Posting Date is not the last date for that month.
Content	H004F	H	Batch Reject	Begin Posting Date and End Posting Date must have the same month and year.	INVALID DATA. Begin Posting Date and the End Posting Date must contain the same month and year.
Content	H005C	H	Batch Reject	Number of Records Transmitted must be equal to the number of detail records in a submission.	MISMATCHING DATA. Number of Records Transmitted does not equal the number of detail records in this submission.

Change Log

Date	Changes	Changed By	Remarks/Reason
10/26//07	Document is baselined at version 1. Going forward, all client's requested changes would be implemented into the baseline document, and recorded into the change log.	Ramona Johnson	One time document base lining. Content Edits: Mental Health
10/30/07	Add content edits, and REMOVE D075D: replaced by edit D075J.	Charles Rumberger	Content Edit Descriptions and Severity/Program Edit Levels updates.
11/06/07	Received additional content edits to update MH doc.	Charles Rumberger	Content Edit Descriptions and Severity/Program Edit Levels updates.
11/06/07	Doc updated to include the following additional content edits: D075J, D200, D201B, D202B, D203B, D203C, D204B, C & D, D207B, D208B, D209B, D210B, D211B, D212B, D213B, D214B, D215B, C & D, D216B, D217B & C, D218C & D, D219B, D220B & C, D221B & C, D222B, C & D, D223B, C & D, D224B, C & D, D225B, D226B, D227B, C, D, E, D228B, D229B, C, D, E, F, D231B, D232B, C, D233B, C, D233D, D234B, C, D, D235B, D236B, D237B, D238B, D239B, D240B, D242B, D243B, C, D244B, C, D, D245B, D246B, D247B, D248B, C, B, D249C, D, D250B, C, D, D251B, C, D, D273B, D274A & B, D075D removed and replaced by D075J.	Ramona Johnson	Content Edit Descriptions and Severity/Program Edit Levels updates.
11/16/07	Received additional content edits to update MH doc.	Charles Rumberger	Content Tag Names, Edit Descriptions and Severity/Program Edit Levels updates, which included group error messages with record types.

Change Log

Date	Changes	Changed By	Remarks/Reason
11/21/07	Doc updated to include the following additional content edits: D010E, D205B, D226C & D, D227F, D241B & C, D245B & C, D253B, D254B, D255B, D256B, D257B, D258B, C & D, D259B & C, D260B, D261B, C & D, D262B, D263B & C, D266B, D267B, D269B, D270B, D271B & C.	Ramona Johnson	Content Tag Names, Edit Descriptions and Severity/Program Edit Levels updates, which included group error messages with record types.
01/04/08	Edit Changes: D255B Edit description will now read "When Social Security Number is provided and one exists in the database and Adjustment Type Detail is not CKC then they must equal."	Ramona Johnson	Patrick Thompson suggested rewording the description for clarity and it was approved by Client:: Content edit D255B social_security_number description.
01/05/08	Doc updated to include additional column headings: Edit Type and Error Messages.	Ramona Johnson	Mental Health content edits column headings added.
01/24/08	Doc updated to include revisions to existing edits descriptions: D071F, D074A, D227C, D & E, D229E & F, D261C & D.	Ramona Johnson	Nine (9) Mental Health content edits revisions.
06/17/08	Removed obsolete edit D006E and modified D006D description.	Phyllis Schmoller	Changes made per Bug 2317.
09/18/08	Changed description and error message for Edits D224B and D260B. Added Edits D273C, D260C and D261D. Removed Edits D006E, D010E, D224D, D227B, D227C, D227D, D227E, D227F, D228B, D229B, D229C and D236B.	Phyllis Schmoller	Changes made per user request.
09/19/08	Removed D229F since it does not appear on Charles' spreadsheet or in the Edit Management screen.	Phyllis Schmoller	Change made to keep docs in sync.
09/22/08	Removed valid values for Edit D253B.	Phyllis Schmoller	Change made per customer request.

Change Log

Date	Changes	Changed By	Remarks/Reason
11/13/2008	Removed obsolete edit D006C.	Phyllis Schmoller	Changed per Bugzilla 2385.
12/30/2008	Changed descriptions for Edits D241C, D257B, D258B, D258E, D261B, D261C and D263B. Added Edits D010E, D042A, D042C, D042D, D042E, D043A, D043C, D053B, D261D and D261E. Removed D261D.	Phyllis Schmoller	Changed per Charles' spreadsheets dated 11/17/08 and 12/5/08.
2/11/2009	Removed D042A and D043A. Changed D071B, D213B, D213C, D214B, D215B, D217B, D217C, D218B, D232B, D233B, D234B, D255B, D258B, D271B. Added D010F.	Phyllis Schmoller	Changed per Charles' spreadsheets dated 1/27, 1/29 and 2/11/09.
2/26/2009	Changed descriptions on edits D002A, D071F, D258E. Changed severity on edits D042C, D042D, D042E, D043C, D052A, D053B, D053D, D260C.	Phyllis Schmoller	Made updates to match Charles' spreadsheet dated 2/24/09.